


We can cover the world!



Technical Catalogue

2017






0044 (0)1268 710425 sales@mypooldirect.co.uk


101 New London Road, Chelmsford, Essex, CM2 OPP. United Kingdom.






Casablanca Infinity Ev


Series



The enclosure is delivered with rails on the left and right side in the length of the enclosure. The Casablanca Infinity vo enclosure is so low that you cannot swim underneath. Therefore we strongly recommend that you buy extension rails for this model. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.


| Technical details | Casablanca Infinity Evo | Casablanca Infinity Evo |
|-----------------------|-------------------------|-------------------------|
| Maximum enclosed area | 350 x 635 cm | 446 x 850 cm |
| Outer width "B" | 390 cm | 500 cm |
| Inner width "A" | 362 cm | 458 cm |
| Outer length "E" | 646 cm | 860 cm |
| Outer height "V" | 40 cm | 49 cm |
| Package size | 445 x 48 x 127 cm | 561 x 55 x 127 cm |
| Package weight | 430 kg | 640 kg |
| Installation time | ca 3 h/3 pers. | ca 4 h/3 pers. |






Casablanca Infinity Ev

Custom



The enclosure is delivered with rails on the left and right sides in the length of the enclosure. The Casablanca Infinity vo enclosure is so low that you cannot swim underneath. Therefore we strongly recommend that you buy extension rails for this model. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Possible enclosure sizes | Casablanca Infinity Ev | |
|--------------------------|------------------------|--|
| Width "B" | from 151 to 500 cm | |
| Height "V" | from 23 to 62 cm | |
| Length "E" | unlimited | |



Custom production options

- ✓ Individual enclosure sizes
- Choice of roofing m terial type and colour
- Wide range of over 40 colours and decors
- ✓ Individual configur tion













Casablanca Infinit


Series



The enclosure is delivered with rails on the left and right side in the length of the enclosure. For moving the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Technical details | Casablanca Infinity | Casablanca Infinity |
|-----------------------|---------------------|---------------------|
| Maximum enclosed area | 350 x 635 cm | 446 x 850 cm |
| Outer width "B" | 390 cm | 500 cm |
| Inner width "A" | 362 cm | 458 cm |
| Outer length "E" | 646 cm | 860 cm |
| Outer height "V" | 62 cm | 75 cm |
| Package size | 445 x 48 x 127 cm | 561 x 55 x 127 cm |
| Package weight | 430 kg | 640 kg |
| Installation time | ca 3 h/3 pers. | ca 4 h/3 pers. |






Casablanca Infinit


Custom



The enclosure is delivered with rails on the left and right sides in the length of the enclosure. For moving the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Possible enclosure sizes | Casablanca Infinit | |
|--------------------------|--------------------|--|
| Width "B" | from 151 to 850 cm | |
| Height "V" | from 36 to 350 cm | |
| Length "E" | unlimited | |





Custom production options

- ✓ Individual enclosure sizes
- Choice of roofing m terial type and colour
- ✓ Individual configur tion

- Wide range of over 40 colours and decors of the supporting structure
- Door type and location as per your request













Casablanca


Custom



The enclosure is delivered with rails on the left and right side in the length of the enclosure. For moving the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Possible enclosure sizes | Casablanca | |
|--------------------------|--------------------|--|
| Width "B" | from 151 to 850 cm | |
| Height "V" | from 36 to 350 cm | |
| Length "E" | unlimited | |






Custom production options

- ✓ Individual enclosure sizes
- Choice of roofing m terial type and colour
- ✓ Individual configur tion

- ✓ Wide range of over 40 colours and decors of the supporting structure
- ✓ Door type and location as per your request


Casablanca trackless


Custom



Only 4mm compact polycarbonate is possible as roofing or the L profile design. The enclosu e is delivered without rails, optionally with the rails only on the left, or only on the right side in the length of the enclosure. For moving the 1-rail version of the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and tech-nical details can be found on pages 98 - 105.

| Possible enclosure sizes | Casablanca | |
|--------------------------|--------------------|--|
| Width "B" | from 151 to 750 cm | |
| Height "V" | from 33 to 204 cm | |
| Length "E" | unlimited | |






Custom production options

- ✓ Individual enclosure sizes
- Choice of roofing m terial type and colour
- ✓ Individual configur tion

- Wide range of over 40 colours and decors of the supporting structure
- ✓ Door type and location as per your request











Dallas / Dallas Clear


Series



area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Technical details | Dallas A / *Dallas Clear A | Dallas B / *Dallas Clear B |
|-----------------------|----------------------------------|----------------------------------|
| Maximum enclosed area | 350 x 635 cm | 464 x 850 cm |
| Outer width "B" | 407 cm | 520 cm |
| Inner width "A" | 379 cm | 478 cm |
| Outer length "E" | 646 cm | 860 cm |
| Outer height "V" | 75 cm | 85 cm |
| Package size | 445 x 48 x 127 cm | 561 x 55 x 127 cm |
| Package weight | 330 kg / *410 kg | 450 kg / *590 kg |
| Installation time | ca 3 h/3 pers. / *ca 4 h/3 pers. | ca 4 h/3 pers. / *ca 6 h/3 pers. |






Dallas / Dallas Clear


Custom



The enclosure is delivered with rails on the left and right side in the length of the enclosure. For moving the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Possible enclosure sizes | Dallas / Dallas Clear | |
|--------------------------|-----------------------|--|
| Width "B" | from 251 to 800 cm | |
| Height "V" | from 61 to 364 cm | |
| Length "E" | unlimited | |





Custom production options

- ✓ Individual enclosure sizes
- Choice of roofing m terial type and colour
- ✓ Individual configur tion

- Wide range of over 40 colours and decors of the supporting structure
- ✓ Door type and location as per your request











Klasik / Klasik Clear

Series




The enclosure is delivered with rails on the left and right side in the length of the enclosure. For moving the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Technical details | Klasik A / *Klasik Clear A | Klasik B / *Klasik Clear B | Klasik C / *Klasik Clear C |
|-----------------------|----------------------------------|----------------------------------|----------------------------------|
| Maximum enclosed area | 319 x 635 cm | 415 x 850 cm | 501 x 1060 cm |
| Outer width "B" | 361 cm | 471 cm | 571 cm |
| Inner width "A" | 333 cm | 429 cm | 515 cm |
| Outer length "E" | 646 cm | 860 cm | 1073 cm |
| Outer height "V" | 100 cm | 130 cm | 155 cm |
| Package size | 430 x 41 x 157 cm | 563 x 45 x 188 cm | 606 x 61 x 175 cm |
| Package weight | 250 kg / *350 kg | 420 kg / *570 kg | 610 kg / *840 kg |
| Installation time | ca 1 h/3 pers. / *ca 2 h/3 pers. | ca 2 h/3 pers. / *ca 4 h/3 pers. | ca 3 h/3 pers. / *ca 6 h/3 pers. |




Klasik / Klasik Clear


Custom



The enclosure is delivered with rails on the left and right side in the length of the enclosure. For moving the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Possible enclosure sizes | Klasik / Klasik Clear | | |
|--------------------------|-----------------------|--|--|
| Width "B" | from 201 to 900 cm | | |
| Height "V" | from 70 to 350 cm | | |
| Length "E" | unlimited | | |





Custom production options

- ✓ Individual enclosure sizes
- Choice of roofing m terial type and colour
- ✓ Individual configur tion

- Wide range of over 40 colours and decors of the supporting structure
- ✓ Door type and location as per your request

Enclosures / 43 42 / Enclosures










Monaco

Custom









The enclosure is delivered with rails on the left and right side in the length of the enclosure. For moving the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Possible enclosure sizes | Monaco | |
|--------------------------|--------------------|--|
| Width "B" | from 201 to 750 cm | |
| Height "V" | from 105 to 350 cm | |
| Length "E" | unlimited | |





Custom production options


- ✓ Individual enclosure sizes
- Choice of roofing m terial type and colour
- ✓ Individual configur tion


- Wide range of over 40 colours and decors of the supporting structure
- ✓ Door type and location as per your request

| • | Supporting L or XL profile |
|---|--|
| | Optional doors in both front and back panels |
| | Optional clapper in both front and back panels |
| • | Optional side entrance |
| | 4mm compact polycarbonate, 8 or 10 mm twin wall polycarbonate Air rails 70 or 110 mm |
| | Wide range of colours |
| | according to the valid colour chart |

The enclosure is delivered with rails on the left and right side in the length of the enclosure. For moving the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Possible enclosure sizes | Monaco Future |
|--------------------------|--------------------|
| Width "B" | from 251 to 800 cm |
| Height "V" | from 133 to 350 cm |
| Length "E" | unlimited |






Custom production options

- ✓ Individual enclosure sizes
- Choice of roofing m terial type and colour
- ✓ Individual configur tion

- Wide range of over 40 colours and decors of the supporting structure
- Door type and location as per your request











Klasik Smart

Series







Dallas Spa



The enclosure is delivered with rails on the left and right side in the length of the enclosure. For moving the enclosure outside of the area of the pool, we recommend buying extension rails. More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Technical details | Klasik Smart A | Klasik Smart B |
|-----------------------|---|---|
| Maximum enclosed area | 319 x 630 cm | 415 x 840 cm |
| Outer width "B" | 361 cm | 471 cm |
| Inner width "A" | 333 cm | 429 cm |
| Outer length "E" | 643 cm | 856 cm |
| Outer height "V" | 100 cm | 130 cm |
| Package size | Multibox - for more information please contact your distributor | Multibox - for more information please contact your distributor |
| Package weight | 210 kg | 360 kg |
| Installation time | ca 1 h/2 pers. | ca 2 h/2 pers. |





The Klasik Smart enclosure is not designed for snow areas.


ALBIXON BOX main advantages vilimited editions viready for shipping vilimited and simple installation






More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.

| Technical details | Dallas Spa |
|-----------------------|--------------------|
| Maximum enclosed area | 375 x 305 x 100 cm |
| Outer width "B" | 420 cm |
| Inner width "A" | 397 cm |
| Outer length "E" | 338 cm |
| Outer height "V" | 232 cm |
| Package size | 440 x 61 x 244 cm |
| Package weight | 460 kg |
| Installation time | ca 4 h/2 pers. |







ALBIXON BOX main advantages v limited editions v ready for shipping v quick and simple installation

Dallas spa

Lean on wall enclosures


Custom



Many lean on wall enclosures can be ideally used where the swimming pool is situated too close to a building or a wall.

In that case the enclosure is anchored in the ground on one side and mounted on the wall of the building on the other – from the top or from the side. You can make choice between the Dallas and Casablanca models, in a wide range of colours and accessories. We will suggest the most suitable solution just for you.







Lean on wall enclosures

Custom



More information on enclosure equipment, colour options and technical details can be found on pages 98 - 105.





| pPossible sizes - lean on wall dallas | |
|---------------------------------------|--------------------|
| Width "B" | from 201 to 700 cm |
| Height "V" | from 90 to 350 cm |
| Length "E" | unlimited |

| Possible sizes - lean on wall casablanca | | |
|--|--|--|
| from 151 to 700 cm | | |
| from 75 to 350 cm | | |
| unlimited | | |
| | | |

Custom production options

✓ Individual enclosure sizes

- Wide range of over 40 colours and decors of the supporting structure
- Choice of roofing m terial type and colour
- Door type and location as per your request

✓ Individual configur tion



Authorized UK Distributor



0044 (0)1268 710425 sales@mypooldirect.co.uk

101 New London Road, Chelmsford, Essex, CM2 OPP. United Kingdom.





POWDER COATINGS.







ALBIXON

www.ALBIXON.com export@ALBIXON.com Made in EU

